



Options and accessories

Metal seals




Ref.	Description	P/N
1	Seal DN 25 indium	106828
2	Seal DN 25 indium	106819
3	Seal DN 40 indium (ASM 182 TD+)	106820
	Seal DN 50 indium (ASM 192 T2D+)	106821
4	Seal DN 25 with filter	A460285
5	Seal DN 25 with diaphragm	106828
6	Seal DI 128.7 helicoflex (for TMP 5154)	079089
7	TMP 5154 DN 40 metal	798024
8	Seals kit for TMP 5154 metal	*
	Helicoflex gasket for analyzer cell (not pictured)	*
10	Complete analyzer cell with metal seal (without magnet)	109479S

* Contact customer services.

Options and accessories

Gas line option
ASM 182 TD+ only






Ref.	Description	P/N
9	VCR Cajon connector	101583
10	Metal seal Cajon	101584
	a Injection valve	
	b Roughing valve	
11	Minisol valve 2/2 NF (with coil)	101303
12	Block ring	082111
13	Rear block wiring harness	*

* Contact customer services.

Options and accessories


Gas line option ASM 182 TD+ only




Ref.	Description	P/N
14	Gas line type calibrated leak with 1/4" VCR Cajon connector	
	• 1.10 ⁻⁹ mbar.l/s	103371
	• 1.10 ⁻⁸ mbar.l/s	103372
	• 1.10 ⁻⁷ mbar.l/s	103373
	• 1.10 ⁻⁵ mbar.l/s	103374
15	St.steel flexible hose DN 6	104475
16	O'ring	050143
17	O'ring	082106
18	St.steel flexible hose DN 16	104476

Options and accessories

LDS probe



Spray gun



Ref.	Description	P/N
19	LDS probe (5 meter tube)	797925
20	LDS spare needle	072606
21	LDS spare filter sold by minimum quantity of 5	067775
22	LDS spare metal tube	067838
23	Spray gun spare nozzle	083446

Options and accessories

Remote control

ASM 182 TD+: accessory
ASM 192 T2D+: delivered in standard



Ref.	Description	P/N
24	Remote control	
	- Unit: mbar.l/s - Front face in English	106688
	- Unit: Torr.l/s - Front face in English	108881
	- Unit: Pa.m ³ /s - Front face in English	108880
	- Unit: Pa.m ³ /s - Front face in Japanese	106690
25	Remote control cable (5 m)	106013